

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|--|---|------------------|---------|---------------------|
| S205 | 1 | S204 AND PRE-PROCESSOR | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/23 12:18 |
| S204 | 3 | "11269274" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/23 12:17 |
| S203 | 2 | "20050010576" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/23 12:08 |
| S202 | 2 | "6148342".PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/23 10:24 |
| S201 | 2 | "5623666".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/23 09:56 |
| S200 | 35 | S198 and S199 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/22 11:39 |
| S199 | 1332 | (device\$1) same (different "not the same" "not identical") near (data adj structure schem\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/22 11:39 |
| S198 | 13415 | query\$3 same (send\$3 submit \$4 transmit\$4) same (device \$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/22 11:37 |
| S197 | 3 | "6560591".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/22 10:30 |
| S196 | 36 | S195 and @rlad<="20011223" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/21 16:05 |

| | | | | | | |
|------|-----|--|---|----|-----|---------------------|
| S195 | 133 | query same (send\$3 submit\$4 transmit\$4) same object\$1 same data adj structure | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/21 16:05 |
| S194 | 1 | query same (send\$3 submit\$4 transmit\$4) same object\$1 same data adj structure adj format | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/21 16:05 |
| S193 | 708 | query same (send\$3 submit\$4 transmit\$4) same data adj structure | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/21 16:04 |
| S192 | 9 | S191 and @rlad<="20011223" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/21 15:52 |
| S191 | 41 | (convert\$3 transform\$3 translate\$3) same query same (target destination) near (device\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/21 15:51 |
| S190 | 14 | ((transmit\$4 send\$3) same (query\$3 text) same different near4 (storage adj device\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/21 10:57 |
| S189 | 91 | query\$3 same different near4 (storage adj device\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/21 10:56 |
| S188 | 27 | query\$3 same different near4 (storage adj structure\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/21 10:45 |
| S187 | 2 | "20050120017" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/21 10:25 |
| S186 | 18 | S185 and @rlad<="20011214" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/20 17:09 |
| S185 | 74 | (send\$3 transmit\$4) same (query) same different near (data adj structure\$1 storage adj format\$1 device\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/20 17:09 |

| | | | | | | |
|------|------|--|---|----|-----|---------------------|
| S184 | 0 | (send\$3 transmit\$4) same ("same query structure") same different near (data adj structure\$1 storage adj format \$1 device\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/20 17:08 |
| S183 | 15 | different near (data adj structure\$1 storage adj format \$1 device\$1) same stor\$3 same (identical substantial\$3) near (data information) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/20 17:04 |
| S182 | 1 | different near (data adj structure\$1 storage adj format \$1) same stor\$3 same (identical substantial\$3) near (data information) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/20 17:03 |
| S181 | 0 | different near (data adj structure\$1 storage adj format \$1) same stor\$3 near (identical substantial\$3) near (data information) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/20 17:03 |
| S180 | 28 | (device\$1) same different near (storage adj format\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/20 16:57 |
| S179 | 8 | different near4 (device\$1 data adj structure\$1) same different near (storage adj format\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/20 16:54 |
| S178 | 3 | ("same query") same (analyze\$3 compar\$3) same different near4 (device\$1 data adj structure\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/20 16:50 |
| S177 | 4423 | (query statement) same (analyze\$3 compar\$3) same (device\$1 data adj structure\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/20 16:49 |
| S176 | 10 | S173 same (device\$1 data adj structure) same (analyze\$3 compar\$3) near query | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/20 16:47 |
| S175 | 0 | S173 and different near (device\$1 data adj structure) same (analyze\$3 compar\$3) near query | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/20 16:47 |
| S174 | 0 | S173 same different near (device\$1 data adj structure) same (analyze\$3 compar\$3) near query | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/20 16:47 |

| | | | | | | |
|------|-------|--|---|----|-----|---------------------|
| S173 | 946 | (receiv\$3 accept\$3) same (quer\$3 statement\$3 natural adj language) same different with (device\$1 data adj structure) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/20 16:44 |
| S172 | 2 | (transmit\$5 send\$3) same (quer\$3 statement\$3 natural adj language) same different with (device\$1 data adj structure) same (identical substantial\$3 mirror duplicat\$2) near (data information) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/20 16:43 |
| S171 | 634 | (transmit\$5 send\$3) same (quer\$3 statement\$3 natural adj language) same different with (device\$1 data adj structure) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/20 16:39 |
| S170 | 11 | S169 not S163 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/20 16:32 |
| S169 | 20 | S168 and @riad<="20011214" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/20 16:32 |
| S168 | 90 | S166 and S167 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/20 16:32 |
| S167 | 419 | (convert\$3 translat\$3 transform\$3) with (quer\$3 statement\$3 natural adj language) near format | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/20 16:30 |
| S166 | 17596 | (transmit\$5 send\$3) same (quer\$3 statement\$3 natural adj language) same (device\$1 data adj structure) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/20 16:29 |
| S165 | 2 | (transmit\$5 send\$3) same (quer\$3 statement\$3 natural adj language) same (different near device\$1) and (convert\$3 translat\$3 transform\$3) near (quer\$3 statement\$3 natural adj language) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/20 16:28 |

| | | | | | | |
|------|------|---|---|----|-----|-----------------------|
| S164 | 1 | ((transmit\$5 send\$3) same (quer\$3 statement\$3 natural adj language) same (different near device\$1) and device\$1 with (convert\$3 translat\$3 transform\$3) near (quer\$3 statement\$3 natural adj language)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/ 10/ 20 16:26 |
| S163 | 16 | S162 and @riad<="20011214" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/ 10/ 20 16:16 |
| S162 | 72 | ((transmit\$5 send\$3) same (quer\$3 statement\$3 natural adj language) same device\$1 same device\$1 with (convert\$3 translat\$3 transform\$3) near (quer\$3 statement\$3 natural adj language)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/ 10/ 20 16:16 |
| S161 | 7 | ((transmit\$5 send\$3) same (quer\$3 request\$3 statement\$3) same device\$1 same (convert\$3 translat\$3 transform\$3) near (query\$3) same device\$1 near\$5 format | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/ 10/ 20 16:10 |
| S160 | 1 | ((transmit\$5 send\$3) same (quer\$3 request\$3 statement\$3) same different with device\$1 same (convert\$3 translat\$3 transform\$3) near (query\$3) same device\$1 near\$5 internal adj format | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/ 10/ 20 16:09 |
| S159 | 6888 | ((transmit\$5 send\$3) same (quer\$3 request\$3 statement\$3) same different with device\$1 (structure\$1 format\$1 type\$1 schema) same (convert\$3 translat\$3 transform\$3) near (query\$3) same device\$1 near\$5 internal adj format | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/ 10/ 20 16:08 |
| S158 | 6897 | ((transmit\$5 send\$3) same (quer\$3 request\$3 statement\$3) same different with device\$1 (structure\$1 format\$1 type\$1 schema) same (convert\$3 translat\$3 transform\$3) near (query\$3) same device\$1 near\$5 format | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/ 10/ 20 16:07 |
| S157 | 6893 | ((transmit\$5 send\$3) same (quer\$3 request\$3 statement\$3) same different with device\$1 (structure\$1 format\$1 type\$1 schema) same (convert\$3 translat\$3 transform\$3) near (query\$3) with device\$1 near\$5 format | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/ 10/ 20 16:07 |

| | | | | | | |
|------|---------|--|---|----|-----|---------------------|
| S156 | 7204 | (transmit\$5 send\$3) same (quer\$3 request\$3 statement \$3) same different with device \$1 (structure\$1 format\$1 type \$1 schema) same (convert\$3 translat\$3 transform\$3) near (query\$3) with format | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/20 16:06 |
| S155 | 9577007 | (transmit\$5 send\$3) same (quer\$3 request\$3 statement \$3) same different with device \$1 (structure\$1 format\$1 type \$1 schema) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/20 16:04 |
| S154 | 2 | "6341196".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/12 13:32 |
| S153 | 2 | "7103602".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/12 13:32 |
| S152 | 14 | S151 and @riad<="20011214" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/12 12:44 |
| S151 | 43 | S150 and 707/3,10.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/12 12:42 |
| S150 | 591 | (transmit\$5 send\$3) same (quer\$3 request\$3 statement \$3) same (plurality different) near data near\$ (structure\$1 format\$1 type\$1 schema) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/12 12:41 |
| S149 | 20 | S148 and @riad<="20011214" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/08 14:08 |
| S148 | 59 | S146 and (obtain\$3 receiv\$3) same (similar\$5 identical approx\$8) same result\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/08 14:08 |
| S147 | 0 | S146 and (obtain\$3 receiv\$3) same (similar\$5 identical approx\$8) near result\$1 with (type\$1 format\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/08 14:07 |

| | | | | | | |
|------|------|--|---|----|-----|---------------------|
| S146 | 588 | (transmit\$5 send\$3) same (quer\$3 request\$3 statement\$3) same (plurality different) near data near5 (structure\$1 format\$1 type\$1 schema) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/08 14:06 |
| S145 | 4665 | (transmit\$5 send\$3) same (quer\$3 request\$3 statement\$3) same (plurality different) near (structure\$1 format\$1 type\$1 schema) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/08 14:06 |
| S144 | 0 | S143 and (obtain\$3 receiv\$3) same (similar\$5 identical approx\$8) near result\$1 with (type\$1 format\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/08 13:48 |
| S143 | 41 | (creat\$3 generat\$3) same (quer\$3 request\$3 statement\$3) same (plurality) near data adj structure\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/08 13:47 |
| S142 | 13 | S141 not S140 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/08 13:42 |
| S141 | 13 | (transmit\$5 send\$3) same (quer\$3 request\$3 statement\$3) same (plurality) near data adj structure\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/08 13:42 |
| S140 | 17 | (quer\$3 request\$3 statement\$3) same (transmit\$5 send\$3) same (different) near data adj structure\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/08 13:31 |
| S139 | 2 | S138 and (obtain\$3 receiv\$3) same (similar\$5 identical approx\$8) near result\$1 with (type\$1 format\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/08 13:28 |
| S138 | 6359 | (quer\$3 request\$3 statement\$3) same (transmit\$5 send\$3) same data adj structure\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/08 13:26 |
| S137 | 22 | (obtain\$3 receiv\$3) same result\$1 same (identical similar\$3 approx\$8) near5 (structure\$1 format\$1) and different near data adj structure\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/08 13:03 |
| S136 | 0 | present\$3 same result\$1 same (identical similar\$3 approx\$8) near5 format\$1 same different near structure\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/08 13:01 |

| | | | | | | |
|------|-------|---|---|----|-----|---------------------|
| S135 | 0 | present\$3 same (query near4 result\$1) same (identical similar \$3 approx\$8) near5 format\$1 same different near structure \$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/08 13:00 |
| S134 | 34 | S132 and S133 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/08 12:39 |
| S133 | 12997 | (obtain\$3 retriev\$3 receiv\$3) same result\$1 with (format\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/08 12:39 |
| S132 | 295 | (generat\$3 creat\$3) with (quer \$3 SQL database adj command \$1) same (transmit\$3 send\$3) same (server network database) with (structure\$1 schema) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/08 12:36 |
| S131 | 4824 | (generat\$3 creat\$3) with (quer \$3 SQL database adj command \$1) same (transmit\$3 send\$3) same (server network database) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/08 12:34 |

10/24/08 12:30:21 PM

C:\Documents and Settings\dle2\My Documents\EAST\Workspaces\10017689.wsp